

# HYTORC

**TOOL MODEL: HY- 0.5 XLT**

**TABLE DE CONVERSION PRESSION/COUPLE**

PRESSION EN PSI	COUPLE EN			PRESSION EN BAR
	FT. LBS.	KGM	NM	
1500	55	8	75	104
1600	59	8	80	110
1800	67	9	91	124
2000	75	10	102	138
2200	83	11	113	152
2400	92	13	125	165
2600	100	14	136	179
2800	109	15	148	193
3000	117	16	159	207
3200	125	17	169	220
3400	133	18	180	234
3600	140	19	190	248
3800	148	20	201	262
4000	156	22	211	276
4200	164	23	222	290
4400	172	24	233	303
4600	181	25	245	317
4800	189	26	256	331
5000	197	27	267	345
5200	206	28	279	358
5400	215	30	291	372
5600	223	31	302	386
5800	232	32	314	400
6000	241	33	327	414
6200	249	34	338	427
6400	257	36	348	441
6600	266	37	361	455
6800	274	38	371	468
7000	282	39	382	482
7200	289	40	392	496
7400	296	41	401	510
7600	304	42	412	524
7800	311	43	422	538
8000	318	44	431	552
8200	326	45	442	565
8400	334	46	453	579
8600	342	47	464	593
8800	350	48	474	607
9000	358	50	485	620
9200	366	51	496	634
9400	374	52	507	648
9600	381	53	516	662
9800	389	54	527	676
10000	397	55	538	690

# HYTORC

## TOOL MODEL: HY- 8 XLT

### TABLE DE CONVERSION PRESSION/COUPLE

PRESSION EN PSI	FT. LBS.	COUPLE EN KGM	NM	PRESSION EN BAR
1500	1200	166	1627	104
1600	1280	177	1735	110
1800	1440	199	1952	124
2000	1600	221	2169	138
2200	1760	243	2386	152
2400	1920	266	2603	165
2600	2080	288	2820	179
2800	2240	310	3037	193
3000	2400	332	3253	207
3200	2560	354	3470	220
3400	2720	376	3687	234
3600	2880	398	3904	248
3800	3040	420	4121	262
4000	3200	443	4338	276
4200	3360	465	4555	290
4400	3520	487	4772	303
4600	3680	509	4989	317
4800	3840	531	5206	331
5000	4000	553	5422	345
5200	4160	575	5639	358
5400	4320	597	5856	372
5600	4480	620	6073	386
5800	4640	642	6290	400
6000	4800	664	6507	414
6200	4960	686	6724	427
6400	5120	708	6941	441
6600	5280	730	7158	455
6800	5440	752	7374	468
7000	5600	774	7591	482
7200	5760	797	7808	496
7400	5920	819	8025	510
7600	6080	841	8242	524
7800	6240	863	8459	538
8000	6400	885	8676	552
8200	6560	907	8893	565
8400	6720	929	9110	579
8600	6880	952	9327	593
8800	7040	974	9543	607
9000	7200	996	9760	620
9200	7360	1018	9977	634
9400	7520	1040	10194	648
9600	7680	1062	10411	662
9800	7840	1084	10628	676
10000	8000	1106	10845	690

# HYTORC

**TOOL MODEL: HY- 50 XLT**

**TABLE DE CONVERSION PRESSION/COUPLE**

<b>PRESSION EN PSI</b>	<b>FT. LBS.</b>	<b>COUPLE EN</b>		<b>PRESSION EN BAR</b>
		<b>KGM</b>	<b>NM</b>	
1500	7875	1089	10675	104
1600	8400	1162	11387	110
1800	9450	1307	12810	124
2000	10500	1452	14234	138
2200	11550	1597	15657	152
2400	12600	1743	17081	165
2600	13650	1888	18504	179
2800	14700	2033	19927	193
3000	15750	2178	21351	207
3200	16800	2323	22774	220
3400	17850	2469	24197	234
3600	18900	2614	25621	248
3800	19950	2759	27044	262
4000	21000	2904	28468	276
4200	22050	3050	29891	290
4400	23100	3195	31314	303
4600	24150	3340	32738	317
4800	25200	3485	34161	331
5000	26250	3630	35585	345
5200	27300	3776	37008	358
5400	28350	3921	38431	372
5600	29400	4066	39855	386
5800	30450	4211	41278	400
6000	31500	4356	42701	414
6200	32550	4502	44125	427
6400	33600	4647	45548	441
6600	34650	4792	46972	455
6800	35700	4937	48395	468
7000	36750	5083	49818	482
7200	37800	5228	51242	496
7400	38850	5373	52665	510
7600	39900	5518	54088	524
7800	40950	5663	55512	538
8000	42000	5809	56935	552
8200	43050	5954	58359	565
8400	44100	6099	59782	579
8600	45150	6244	61205	593
8800	46200	6389	62629	607
9000	47250	6535	64052	620
9200	48300	6680	65475	634
9400	49350	6825	66899	648
9600	50400	6970	68322	662
9800	51450	7116	69746	676
10000	52500	7261	71169	690